Table 8C 2001 Pediatric Nutrition Surveillance (1) Kentucky

Page: 1 Run Date: 8 / 20 / 02

Growth and Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity and Age (3)												
	Bir	thweight (4	1)	Height and Weight								
		Low %	High %		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Anemia Low Hb/Hct (7)	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	26,734	9.1	8.5	96,935	5.0	5.7	14.2	41,905	15.7	14.3	66,506	10.9
Black, Not Hispanic	3,694	12.2	4.2	12,580	5.2	5.9	13.1	5,081	14.5	13.8	8,435	21.9
Hispanic	1,018	9.2	7.8	3,266	5.7	4.6	18.2	1,325	16.7	19.2	2,092	15.2
American Indian/Alaskan Native	18	*	*	147	3.4	3.4	12.2	81	*	*	115	20.0
Asian/Pacific Islander	298	7.7	5.0	910	3.7	5.7	13.2	321	19.6	16.5	553	15.6
All Other/Unknown	0	*	*	0	*	*	*	0	*	*	0	*
Total	31,762	9.5	7.9	113,838	5.0	5.7	14.2	48,713	15.7	14.4	77,701	12.3
Age												
0 - 11 Months	_	_	_	35,902	4.5	10.6	8.8	0	*	*	4,434	17.5
12 - 23 Months	_	_	_	29,223	7.1	2.3	20.5	0	*	*	27,556	14.4
24 - 35 Months	-	-	-	18,546	4.4	4.1	14.0	18,546	15.0	14.0	17,457	14.1
36 - 47 Months	-	_	-	15,739	4.2	4.1	14.3	15,739	16.2	14.3	15,164	9.8
48 - 59 Months	-	-	-	14,428	3.9	3.9	15.1	14,428	16.0	15.1	13,090	6.6
Total	_	-	_	113,838	5.0	5.7	14.2	48,713	15.7	14.4	77,701	12.3



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusion